

Communications  
Security EstablishmentCentre de la sécurité  
des télécommunications

# CANADIAN CENTRE FOR **CYBER SECURITY**

## COMMON CRITERIA CERTIFICATION REPORT

Belkin F1DN102KVM-DC-4, F1DN202KVM-DC-4,  
F1DN104KVM-DC-4, F1DN204KVM-DC-4,  
F1DN108KVM-DC-4, F1DN208KVM-DC-4,  
F1DN104KVMDCU-4, F1DN204KVMDCU-4,  
F1DN104MVKVMDC4, F1DN108MVKVMDC4,  
F1DN104MKVMDC-4, F1DN108MKVMDC-4 Firmware  
Version 44444-D5D5

5 March 2025

667-EWA

V1.0

# FOREWORD

This certification report is an UNCLASSIFIED publication, issued under the authority of the Chief, Communications Security Establishment (CSE).

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security (a branch of CSE). This certification report, and its associated certificate, applies only to the identified version and release of the product in its evaluated configuration. The evaluation has been conducted in accordance with the provisions of the Canadian Common Criteria Program, and the conclusions of the testing laboratory in the evaluation report are consistent with the evidence adduced.

This report, and its associated certificate, are not an endorsement of the IT product by Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, and no warranty for the IT product by the Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, is either expressed or implied.

If your organization has identified a requirement for this certification report based on business needs and would like more detailed information, please contact:

Canadian Centre for Cyber Security

Contact Centre and Information Services

[contact@cyber.gc.ca](mailto:contact@cyber.gc.ca) | 1-833-CYBER-88 (1-833-292-3788)



## OVERVIEW

The Canadian Common Criteria Program provides a third-party evaluation service for determining the trustworthiness of Information Technology (IT) security products. Evaluations are performed by a commercial Common Criteria Testing Laboratory (CCTL) under the oversight of the Certification Body, which is managed by the Canadian Centre for Cyber Security.

A CCTL is a commercial facility that has been approved by the Certification Body to perform Common Criteria evaluations; a significant requirement for such approval is accreditation to the requirements of ISO/IEC 17025, the General Requirements for the Competence of Testing and Calibration Laboratories.

By awarding a Common Criteria certificate, the Certification Body asserts that the product complies with the security requirements specified in the associated security target. A security target is a requirements specification document that defines the scope of the evaluation activities. The consumer of certified IT products should review the security target, in addition to this certification report, to gain an understanding of any assumptions made during the evaluation, the IT product's intended environment, the evaluated security functionality, and the testing and analysis conducted by the CCTL.

The certification report, certificate of product evaluation and security target are posted to the Common Criteria portal (the official website of the International Common Criteria Program).



# TABLE OF CONTENTS

<b>EXECUTIVE SUMMARY .....</b>	<b>6</b>
<b>1 Identification of Target of Evaluation .....</b>	<b>7</b>
1.1 Common Criteria Conformance.....	7
1.2 TOE Description .....	7
1.3 TOE Architecture.....	8
<b>2 Security Policy.....</b>	<b>9</b>
<b>3 Assumptions and Clarification of Scope .....</b>	<b>10</b>
3.1 Usage and Environmental Assumptions.....	10
3.2 Clarification of Scope.....	10
<b>4 Evaluated Configuration.....</b>	<b>11</b>
4.1 Documentation.....	11
<b>5 Evaluation Analysis Activities .....</b>	<b>12</b>
5.1 Development.....	12
5.2 Guidance Documents .....	12
5.3 Life-Cycle Support .....	12
<b>6 Testing Activities .....</b>	<b>13</b>
6.1 Assessment of Developer tests.....	13
6.2 Conduct of Testing.....	13
6.3 Independent Testing.....	13
6.3.1 Independent Testing Results .....	13
6.4 Vulnerability Analysis .....	14
6.4.1 Vulnerability Analysis Results.....	14
<b>7 Results of the Evaluation .....</b>	<b>15</b>
7.1 Recommendations/Comments.....	15
<b>8 Supporting Content.....</b>	<b>16</b>
8.1 List of Abbreviations .....	16
8.2 References.....	16



# LIST OF FIGURES

Figure 1: TOE Architecture ..... 8

# LIST OF TABLES

Table 1: TOE Identification ..... 7



## EXECUTIVE SUMMARY

**Belkin F1DN102KVM-DC-4, F1DN202KVM-DC-4, F1DN104KVM-DC-4, F1DN204KVM-DC-4, F1DN108KVM-DC-4, F1DN208KVM-DC-4, F1DN104KVMDCU-4, F1DN204KVMDCU-4, F1DN104MVKVMDC4, F1DN108MVKVMDC4, F1DN104MKVMDC-4, F1DN108MKVMDC-4 Firmware Version 44444-D5D5** (hereafter referred to as the Target of Evaluation, or TOE), from **Belkin International, Inc.** , was the subject of this Common Criteria evaluation. A description of the TOE can be found in Section 1.2. The results of this evaluation demonstrate that the TOE meets the requirements of the conformance claim listed in Section 1.1 for the evaluated security functionality.

**EWA-Canada** is the CCTL that conducted the evaluation. This evaluation was completed on **5 March 2025** and was carried out in accordance with the rules of the Canadian Common Criteria Program.

The scope of the evaluation is defined by the Security Target, which identifies assumptions made during the evaluation, the intended environment for the TOE, and the security functional/assurance requirements. Consumers are advised to verify that their operating environment is consistent with that specified in the security target, and to give due consideration to the comments, observations, and recommendations in this Certification Report.

The Canadian Centre for Cyber Security, as the Certification Body, declares that this evaluation meets all the conditions of the Arrangement on the Recognition of Common Criteria Certificates and that the product is listed on the Certified Products list (CPL) for the Canadian Common Criteria Program and the Common Criteria portal (the official website of the International Common Criteria Program).

# 1 IDENTIFICATION OF TARGET OF EVALUATION

The Target of Evaluation (TOE) is identified as follows:

**Table 1: TOE Identification**

<b>TOE Name and Version</b>	Belkin F1DN102KVM-DC-4, F1DN202KVM-DC-4, F1DN104KVM-DC-4, F1DN204KVM-DC-4, F1DN108KVM-DC-4, F1DN208KVM-DC-4, F1DN104KVMDCU-4, F1DN204KVMDCU-4, F1DN104MVKVMDC4, F1DN108MVKVMDC4, F1DN104MKVMDC-4, F1DN108MKVMDC-4 Firmware Version 44444-D5D5
<b>Developer</b>	Belkin International, Inc.

## 1.1 COMMON CRITERIA CONFORMANCE

The evaluation was conducted using the Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 5, for conformance to the Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5.

The TOE claims the following conformance:

- Protection Profile for Peripheral Sharing Device, Version 4.0
- PP-Module for Keyboard/Mouse Devices, Version 1.0
- PP-Module for Video/Display Devices, Version 1.0
- PP-Module for User Authentication Devices, Version 1.0.

## 1.2 TOE DESCRIPTION

The TOE are Belkin Secure KVM devices that allow users to securely share keyboard, mouse, video, and USB authentication device peripherals between up to 8 connected computers. Security features ensure isolation between computers and peripherals to prevent data leakage between connected systems and anti-tampering.

### 1.3 TOE ARCHITECTURE

A diagram of the TOE architecture is as follows:




Figure 1: TOE Architecture

## 2 SECURITY POLICY

The TOE implements and enforces policies pertaining to the following security functionality:

- User Data Protection
- Protection of the TSF
- TOE Access

Complete details of the security functional requirements (SFRs) can be found in the Security Target (ST) referenced in section 8.2.



## 3 ASSUMPTIONS AND CLARIFICATION OF SCOPE

Consumers of the TOE should consider assumptions about usage and environmental settings as requirements for the product's installation and its operating environment. This will ensure the proper and secure operation of the TOE.

### 3.1 USAGE AND ENVIRONMENTAL ASSUMPTIONS

The following assumptions are made regarding the use and deployment of the TOE:

- Computers and peripheral devices connected to the PSD are not TEMPEST approved.
- The environment provides physical security commensurate with the value of the TOE and the data it processes and contains.
- The environment includes no wireless peripheral devices.
- PSD Administrators and users are trusted to follow and apply all guidance in a trusted manner.
- Personnel configuring the PSD and its operational environment follow the applicable security configuration guidance.
- All PSD users are allowed to interact with all connected computers. It is not the role of the PSD to prevent or otherwise control user access to connected computers. Computers or their connected network shall have the required means to authenticate the user and to control access to their various resources.
- The computers connected to the TOE are not equipped with special analog data collection cards or peripherals such as analog to digital interface, high performance audio interface, digital signal processing function, or analog video capture function.

### 3.2 CLARIFICATION OF SCOPE

The evaluated configuration includes Switch, Matrix, and Multi-Viewer Devices listed in the Table 1 with an optional Remote Control Devices. All security features of these products were evaluated.



## 4 EVALUATED CONFIGURATION

The evaluated configuration for the TOE comprises:

<b>TOE Firmware</b>	Belkin Firmware Version 44444-D5D5	
<b>TOE Hardware</b>	<b>Part Number</b>	<b>Model</b>
	<b>Switches</b>	
	CGA33595	F1DN102KVM-DC-4
	CGA33597	F1DN202KVM-DC-4
	CGA33596	F1DN104KVM-DC-4
	CGA33598	F1DN204KVM-DC-4
	CGA33599	F1DN108KVM-DC-4
	CGA33600	F1DN208KVM-DC-4
	CGA33607	F1DN104KVMDCU-4
	CGA33608	F1DN204KVMDCU-4
	<b>Matrix Devices</b>	
	CGA33709	F1DN104MKVMDC-4
	CGA33710	F1DN108MKVMDC-4
	<b>Multi-Viewers</b>	
	CGA33711	F1DN104MVKVMDC4
	CGA33712	F1DN108MVKVMDC4
<b>Optional Hardware</b>	<b>Part Number</b>	<b>Model</b>
	<b>Remote Control</b>	
	CGA33637	F1DN-KVM-REM2
	CGA33638	F1DN-KVM-REM4
	CGA33639	F1DN-KVM-REM8
<b>Non-TOE Hardware</b>	General purpose USB keyboard and mouse	
	Any standard USB smart card reader/authentication device (only USB Type A connections)	
	Standard computer display (DisplayPort 1.1, 1.2, or 1.3)	
	28 Volt Direct Current (VDC) Power Supply	

### 4.1 DOCUMENTATION

The following documents are provided to the consumer to assist in the configuration and installation of the TOE:

- Belkin Quick Installation Guide 4/8 Ports Secure DP-DP KVM Multi-Viewer, HLT34003 Rev.A01
- Belkin Quick Installation Guide 4/8 Ports Secure DP-DP KVM Matrix, HLT33816 Rev.A01
- Belkin Quick Installation Guide 2/4/8 Port Secure Single/Dual Head DP-DP KVM Switches, HLT33791 Rev.A01

These documents may be downloaded from the Belkin website ([www.belkin.com](http://www.belkin.com)) in .pdf format.

The following guidance is available upon request:

- Belkin Secure KVM F1DN102KVM-DC-4, F1DN202KVM-DC-4, F1DN104KVM-DC-4, F1DN204KVM-DC-4, F1DN108KVM-DC-4, F1DN208KVM-DC-4, F1DN104KVMDCU-4, F1DN204KVMDCU-4, F1DN104MKVMDC-4, F1DN108MKVMDC-4, F1DN104MVKVMDC4, F1DN108MVKVMDC4, Firmware Version 44444-D5D5 Common Criteria Guidance Supplement, Version 1.0

## 5 EVALUATION ANALYSIS ACTIVITIES

The evaluation analysis activities involved a structured evaluation of the TOE. Documentation and process dealing with Development, Guidance Documents, and Life-Cycle Support were evaluated.

### 5.1 DEVELOPMENT

The evaluators analyzed the documentation provided by the vendor; they determined that the design completely and accurately describes the TOE security functionality (TSF) interfaces and how the TSF implements the security functional requirements. The evaluators determined that the initialization process is secure, that the security functions are protected against tamper and bypass, and that security domains are maintained.

### 5.2 GUIDANCE DOCUMENTS


The evaluators examined the TOE preparative user guidance and operational user guidance and determined that it sufficiently and unambiguously describes how to securely transform the TOE into its evaluated configuration and how to use and administer the product. The evaluators examined and tested the preparative and operational guidance and determined that they are complete and sufficiently detailed to result in a secure configuration.

Section 4.1 provides details on the guidance documents.

### 5.3 LIFE-CYCLE SUPPORT

An analysis of the TOE configuration management system and associated documentation was performed. The evaluators found that the TOE configuration items were clearly marked.

The evaluators examined the delivery documentation and determined that it described all the procedures required to maintain the integrity of the TOE during distribution to the consumer.



## 6 TESTING ACTIVITIES

Testing consists of the following three steps: assessing developer tests, performing independent tests, and performing a vulnerability analysis.

### 6.1 ASSESSMENT OF DEVELOPER TESTS

The evaluators verified that the developer has met their testing responsibilities by examining their test evidence, and reviewing their test results, as documented in the Evaluation Test Report (ETR). The correspondence between the tests identified in the developer's test documentation and the functional specification was complete.

### 6.2 CONDUCT OF TESTING

The TOE was subjected to a comprehensive suite of formally documented, independent functional and penetration tests. The detailed testing activities, including configurations, procedures, test cases, expected results and observed results are documented in a separate Test Results document.

### 6.3 INDEPENDENT TESTING

During this evaluation, the evaluator developed independent functional & penetration tests by examining design and guidance documentation.

All testing was planned and documented to a sufficient level of detail to allow repeatability of the testing procedures and results. The following testing activities were performed:

- a. PP Assurance Activities: The evaluator performed the assurance activities listed in the claimed PP

#### 6.3.1 INDEPENDENT TESTING RESULTS

The developer's tests and the independent tests yielded the expected results, providing assurance that the TOE behaves as specified in its ST and functional specification.

## 6.4 VULNERABILITY ANALYSIS

The vulnerability analysis focused on 4 flaw hypotheses.

- Public Vulnerability based (Type 1)
- Evaluation team generated (Type 3)
- Technical community sources (Type 2)
- Tool Generated (Type 4)

The evaluators conducted an independent review of all evaluation evidence, public domain vulnerability databases and technical community sources (Type 1 & 2). Additionally, the evaluators used automated vulnerability scanning tools to discover potential network, platform, and application layer vulnerabilities (Type 4). Based upon this review, the evaluators formulated flaw hypotheses (Type 3), which they used in their vulnerability analysis.

Type 1 & 2 searches were conducted on **7 February 2025** and included the following search terms:

Belkin	Belkin KVM	Belkin Peripheral
44444-D5D5	KVM	F1DN102KVM-DC-4
F1DN202KVM-DC-4	F1DN104KVM-DC-4	F1DN204KVM-DC-4
F1DN108KVM-DC-4	F1DN208KVM-DC-4	F1DN104KVMDCU-4
F1DN204KVMDCU-4	F1DN104MKVMDC-4	F1DN108MKVMDC-4
F1DN104MKVMDC4	F1DN108MKVMDC4	

Vulnerability searches were conducted using the following sources:

National Vulnerability Database <a href="https://nvd.nist.gov/vuln/search">https://nvd.nist.gov/vuln/search</a>	Known Exploited Vulnerabilities Catalog <a href="https://www.cisa.gov/known-exploited-vulnerabilities-catalog">https://www.cisa.gov/known-exploited-vulnerabilities-catalog</a>
Belkin Security Advisories <a href="https://www.belkin.com/support-article/?articleNum=275531">https://www.belkin.com/support-article/?articleNum=275531</a>	

### 6.4.1 VULNERABILITY ANALYSIS RESULTS

The vulnerability analysis did not uncover any security relevant residual exploitable vulnerabilities in the intended operating environment.


## 7 RESULTS OF THE EVALUATION

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security. This certification report, and its associated certificate, apply only to the specific version and release of the product in its evaluated configuration.

This evaluation has provided the basis for the conformance claim documented in Section 1.1. The overall verdict for this evaluation is **PASS**. These results are supported by evidence in the ETR.

### 7.1 RECOMMENDATIONS/COMMENTS

It is recommended that all guidance outlined in Section 4.1 be followed to configure the TOE in the evaluated configuration.



## 8 SUPPORTING CONTENT

### 8.1 LIST OF ABBREVIATIONS

Term	Definition
CAVP	Cryptographic Algorithm Validation Program
CCTL	Common Criteria Testing Laboratory
CSE	Communications Security Establishment
EAL	Evaluation Assurance Level
ETR	Evaluation Technical Report
IT	Information Technology
PP	Protection Profile
SFR	Security Functional Requirement
ST	Security Target
TOE	Target of Evaluation
TSF	TOE Security Function

### 8.2 REFERENCES

Reference
Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5, April 2017.
Common Methodology for Information Technology Security Evaluation, CEM, Version 3.1 Revision 5, April 2017.
Belkin Secure KVM F1DN102KVM-DC-4, F1DN202KVM-DC-4, F1DN104KVM-DC-4, F1DN204KVM-DC-4, F1DN108KVM-DC-4, F1DN208KVM-DC-4, F1DN104KVMDCU-4, F1DN204KVMDCU-4, F1DN104MKVMDC-4, F1DN108MKVMDC-4, F1DN104MVKVMDC4, F1DN108MVKVMDC4, Firmware Version 44444-D5D5 Security Target, Version 1.2, 2025 March 5
Evaluation Technical Report Common Criteria Evaluation of Belkin Secure KVM F1DN102KVM-DC-4, F1DN202KVM-DC-4, F1DN104KVM-DC-4, F1DN204KVM-DC-4, F1DN108KVM-DC-4, F1DN208KVM-DC-4, F1DN104KVMDCU-4, F1DN204KVMDCU-4, F1DN104MKVMDC-4, F1DN108MKVMDC-4, F1DN104MVKVMDC4, F1DN108MVKVMDC4 Firmware Version 44444-D5D5, v1.1, 5 March 2025
Assurance Activity Report Belkin Secure KVM F1DN102KVM-DC-4, F1DN202KVM-DC-4, F1DN104KVM-DC-4, F1DN204KVM-DC-4, F1DN108KVM-DC-4, F1DN208KVM-DC-4, F1DN104KVMDCU-4, F1DN204KVMDCU-4, F1DN104MKVMDC-4, F1DN108MKVMDC-4, F1DN104MVKVMDC4, F1DN108MVKVMDC4 Firmware Version 44444-D5D5, Version 1.1, 5 March 2025